



QSC Audio Products Discount available upon quantity purchase, contact Larson Lighting and Audio directly. Shipping not included.

DESCRIPTION		LIST	Sell
ACOUSTICDESIGN™ SERIES LOUDSPEAKERS			
AD-C42T-WH	Ceiling speaker, 4" weather-resistant, 2 way, with 70V/100V transformer and 8Ω bypass (Loudspeakers are priced individually, sold only in pairs)	\$137.00	\$108.00
AD-CI52ST-WH	Ceiling speaker, 5.25" weather-resistant, 2-way, shallow can, with 70V/100V transformer and 8Ω bypass (Loudspeakers are priced individually, sold only in pairs)	\$192.00	\$154.00
AD-CI52T-WH	Ceiling speaker, 5.25" weather-resistant, compact 2-way, with 70V/100V transformer and 8Ω bypass (Loudspeakers are priced individually, sold only in pairs)	\$173.00	\$139.00
AD-C81Tw-WH	Ceiling subwoofer, 8" weather-resistant, 120Hz bypassable low pass filter, with 70V/100V transformer and 8 ohm bypass (priced individually, sold individually)	\$301.00	\$242.00
AD-C820R SYSTEM	Includes AD-C820 2-way, 8 inch high-power coentrant loudspeaker baffle assembly, AD-C800BB back-box assembly and AD-C800RG round grille. Back box and grille packaged separately (total of three cartons).	\$596.00	\$477.00
AD-C820S SYSTEM	Includes AD-C820 2-way, 8 inch high-power coentrant loudspeaker baffle assembly, AD-C800BB back-box assembly and AD-C800SG round grille. Back box and grille packaged separately (total of three cartons).	\$596.00	\$477.00
AD-C821R SYSTEM	Blind mount, high power 8 inch coentrant loudspeaker system with integrated, factory sealed backcan. System includes AD-C800RG round grille, C-Ring and Tile Rails. Grille and C-Ring and Tile Rails packaged separately (total of three cartons).	\$638.00	\$510.00
AD-C821S SYSTEM	Blind mount, high power 8 inch coentrant loudspeaker system with Integrated, factory sealed backcan. System includes AD-C800SG square grille, C-Ring and Tile Rails. Grille and C-Ring and Tile Rails packaged separately (total of three cartons).	\$638.00	\$510.00
AD-C1200	High-power coentrant 2-way with 12 inch woofer, mounted on acoustic baffle. Fits AD-C1200BB back box enclosure or standard ~2.75 cubic inch enclosures.	\$648.00	\$518.00
AD-C1200BB	High performance enclosure of AD-C1200 loudspeaker system.	\$308.00	\$246.00
AD-C1200SG	Steel grille for use with AD-C1200 in white (paintable).	\$66.00	\$53.00
AD-S282H-BK AD-S282H-WH	Surface mount speaker, dual 8" weather resistant, 2-way, 90° x 60° rotatable, high power version, ships with yoke mount, available in black or white	\$852.00	\$680.00
AD-S282HT-BK AD-S282HT-WH	Surface mount speaker, dual 8" weather-resistant, 2-way, 90° x 60° rotatable, high power version, with 70V/100V transformer and 8Ω bypass, ships with yoke mount, available in black or white	\$899.00	\$721.00
AD-S32T-BK AD-S32T-WH	Surface mount speaker, 3" weather-resistant, 2-way, shielded, 90°H x 90°V, with 70V/100V transformer and 8Ω bypass, ships with ball-mount assembly and yoke mount, available in black or white (Loudspeakers are priced individually, sold only in pairs)	\$137.00	\$108.00
AD-S52-BK AD-S52-WH	Surface mount speaker, 5.25" weather resistant, 2-way, shielded, 90°H x 60°V, ships with ball-mount assembly, or choose the AD-YM5 mounting bracket below, available in black or white (Loudspeakers are priced individually, sold only in pairs)	\$187.00	\$149.00
AD-S52T-BK AD-S52T-WH	Surface mount speaker, 5.25" weather resistant, 2-way, shielded, 90°H x 60°V, with 70V/100V transformer with 8Ω tap, ships with ball-mount assembly available in black or white (Loudspeakers are priced individually, sold only in pairs)	\$215.00	\$170.00
AD-S82-BK AD-S82-WH	Surface mount speaker, 8" weather resistant, 2-way, 90° x 60° rotatable. Choose from the mounting options listed below, available in black or white	\$235.00	\$185.00



	DESCRIPTION	LIST	Sell
AD-S82H-BK AD-S82H-WH	Surface mount speaker, 8" weather resistant, 2-way, 90° x 60° rotatable, high power version. Choose from the mounting options listed below, available in black or white	\$377.00	\$304.00
AD-S28Tw-BK	Surface mount subwoofer, dual 8" bandpass, 120Hz bypassable low-pass filter, with 70V/100V transformer and 8 ohm, marine grade plywood, yoke and suspension hardware included	\$685.00	\$548.00



DESCRIPTION	LIST	Sell
-------------	------	------

ACOUSTICDESIGN™ SERIES ACCESSORIES

AD-ID8-BK AD-ID8-WH	IntelliDock mounting system for AD-S82, available in black or white	\$100.00	\$82.00
AD-ID8T-BK AD-ID8T-WH	IntelliDock mounting system for AD-S82 with 70V/100V transformer, available in black or white	\$128.00	\$103.00
AD-YM5-BK AD-YM5-WH	Yoke mount for AD-S52 models, available in black or white (Bracket priced individually, sold only in pairs)	\$21.00	\$16.00
AD-YM8-BK AD-YM8-WH	Yoke mount for AD-S82 models, available in black or white	\$45.00	\$36.00
AD-YM8T-BK AD-YM8T-WH	Yoke mount with transformer for AD-S82 models, available in black or white	\$73.00	\$57.00
ADC-MR	Mud ring bracket for installation of AD-CI52T in sheetrock or plaster surfaces (Priced and packaged in quantities of six (6) pieces per box)	\$152.00	\$124.00
ADC-MRS	Mud ring bracket (shallow version) for installation of AD-CI52ST in sheetrock or plaster surfaces (Priced and packaged in quantities of six (6) pieces per box)	\$207.00	\$165.00
ADC-MR4	Mud ring for installation of AD-C42T in sheetrock or plaster surfaces. (P)riced and packaged in quantities of six (6) pieces per box)	\$126.00	\$103.00
ADC-NC	New construction bracket for installation of AD-CI52T in sheetrock or other solid surfaces (Priced and packaged in quantities of six (6) pieces per box)	\$109.00	\$88.00
ADC-NCS	New construction bracket (shallow version) for installation of AD-CI52ST in sheetrock or other solid surfaces (Priced and packaged in quantities of six (6) pieces per box)	\$152.00	\$124.00
ADC-NC4	New construction bracket for installation of AD-C42T in sheetrock or other solid surfaces. (Priced and packaged in quantities of six (6) pieces per box)	\$98.00	\$77.00

KLA SERIES

NEW	KLA12-BK KLA12-WH	500W x 500W, two-way, active, line-array loudspeaker; 12-inch woofer, 1.75-inch compression driver; 90° x 18° nominal coverage angle; self contained rigging system, available in black or white.	\$2,999.00	\$2,599.00
NEW	KLA181-BK KLA181-WH	18" ported, 1000W subwoofer with integrated flying hardware; available in black and white.	\$2,399.00	\$2,049.00

KLA SERIES ACCESSORIES

NEW	KLA AF12-BK KLA AF12-WH	Aluminum array frame for KLA Series enclosures; available in black and white.	\$975.00	\$899.00
------------	----------------------------	---	----------	----------

KW SERIES

KW122	12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor.	\$1,399.00	\$1,099.00
KW152	15" two-way, 1000W, 60° axisymmetric, active loudspeaker.	\$1,499.00	\$1,199.00
KW153	15" three-way, 1000W, 60° axisymmetric, active loudspeaker with 6.5" horn-loaded midrange.	\$1,599.00	\$1,299.00
KW181	18" ported, 1000W subwoofer with integrated casters.	\$1,749.00	\$1,399.00

KW SERIES ACCESSORIES

KW M10 KIT	M10 forged-shoulder, steel eyebolt kit for suspending KW122 (vertically), KW152, KW153.	\$47.50	
KW SUS KIT 122	M10 forged-shoulder, steel eyebolt kit with solid aluminum pull-back bar for horizontal suspension of KW122.	\$79.00	
KW122 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW122.	\$69.00	\$69.00
KW152 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW152.	\$79.00	\$79.00
KW153 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW153.	\$89.00	\$89.00
KW181 COVER	Soft cover made with heavy-duty Nylon/Cordura® material for KW181 with grille guard.	\$99.00	\$99.00



DESCRIPTION		LIST	Sell
K SERIES			
K8	1000W active, portable loudspeaker system; 8-inch woofer; 1.75-inch compression driver; 105 degree conical waveguide; Tilt-Direct™ dual angle pole socket, DSP.	\$823.00	\$699.99
K10	1000W active, portable loudspeaker system; 10-inch woofer; 1.75-inch compression driver; 90 degree conical waveguide; Tilt-Direct™ dual angle pole socket, DSP, for use as main or stage monitor speaker.	\$926.00	\$749.99
K12	1000W active portable loudspeaker system; 12-inch woofer; 1.75-inch compression driver; 75 degree conical waveguide; Tilt-Direct™ dual angle pole socket; DSP; for use as main or stage monitor speaker.	\$1,029.00	\$849.99
KSUB	1000W active, portable subwoofer; dual 12-inch woofers; 4 large, swivel casters; M20 threaded pole socket; speaker pole included.	\$1,235.00	\$1,129.99



DESCRIPTION		LIST	Sell	
K SERIES ACCESSORIES				
K SERIES M10 KIT	M10 forged-shoulder steel eyebolt kit for suspending K8, K10, or K12.	\$49.00		
K8 YOKE	Powder coated steel yoke for mounting the K8 vertically or Horizontally to structures.	\$139.00		
K10 YOKE	Powder coated steel yoke for mounting the K10 vertically or Horizontally to structures.	\$149.00		
K12 YOKE	Powder coated steel yoke for mounting the K12 vertically or Horizontally to structures.	\$160.00		
K SERIES POLE EXTENSION	16 inch extension pole for use with K Series speaker pole and K8 or K10 loudspeaker. Not intended for any other K Series or KW Series loudspeaker	\$21.00	\$20.60	
K8 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K8	\$69.99	\$69.99	
K10 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K10	\$74.99	\$74.99	
K12 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K12	\$84.99	\$84.99	
KSUB COVER	Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for Ksub with grille guard	\$112.99	\$112.99	
NEW	K8 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of K8 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor installat	\$31.00	\$31.00
NEW	K10 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of K10 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor installa	\$41.00	\$41.00
NEW	K12 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of K12 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor installa	\$52.00	\$52.00



DESCRIPTION		LIST	Sell
ILA SERIES			
WL2082-i-BK WL2082-i-WH	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white	\$2,083.00	\$1,669.00
WL118-sw-BK WL118-sw-WH	18" subwoofer - for use with WL2082-i installation line array, may be ground stacked or suspended with WL2082-i, integral array hardware, available in black or white	\$2,884.00	\$2,307.00
ILA SERIES ACCESSORIES			
FB2082-i-BK FB2082-i-WH	Fly-bar for WL2082-i and WL115-sw, available in black or white	\$1,001.00	\$803.00
EB2082-i-BK EB2082-i-WH	Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white	\$1,001.00	\$803.00
PB2082-i-BK PB2082-i-WH	Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white	\$356.00	\$283.00
QRP-KIT-1	Kit of four (4) quick release pins for use in lieu of included bolts	\$100.00	\$82.00
AB2082	Angle bracket that allows for greater vertical splay between WL2082i and WL115-sw enclosures in ground stacked configurations	\$183.00	\$144.00
GS115-sw	Ground stack adapter that allows for construction of ground stacked ILA arrays	\$278.00	\$222.00
ISIS SERIES			
I-82H	Surface mount, portable speaker, 8" weather resistant, 2-way, 90° x 60° rotatable, Speakon® connectors, ships with pole mount cup and mic stand	\$384.00	\$309.00
I-282H	Surface mount speaker, dual 8" weather resistant, 2-way, 90° x 60° rotatable, Speakon® connectors, ships with pole mount cup and yoke mount with monitor feet	\$867.00	\$695.00
I-YM8	Yoke mount/floor monitor kit for I-82H, with swivel extension feet for floor mounting	\$84.00	\$67.00
WIDELINE™ SERIES LOUDSPEAKERS			
WideLine - 10			
WL2102-w-BK WL2102-w-WH	Wide angle, line array speaker, dual 10" drivers, 140° x 10°, plywood enclosure, available in black and white	\$4,731.00	\$3,785.00
WL2102-wx GRAY	Weatherized version of the WL2102 line array; dual neo 10" (254mm) cones: 3" (75mm) titanium diaphragm, neo HF compression drive; 140° horizontal coverage; fiberglass encapsulated plywood enclosure; M10 suspension points; gray. **Special order item - a	\$5,974.00	\$5,974.00
WL218-sw-BK WL218-sw-WH	Dual 18" portable subwoofer, can be ground stacked or suspended in arrays using integral array construction suspension hardware, includes transportatic dolly, available in black and white.	\$5,666.00	\$4,532.00
GP218-sw-BK GP218-sw-WH	Dual 18" subwoofer; same acoustical performance as the WL218-sw, rectangular enclosure with 16 x M10 suspension points; available in black and white	\$3,913.00	\$3,131.00
GP218-wx GRAY	Weatherized version of WL218-sw Sub-woofer; dual 18" (457.2mm) woofers; fiberglass encapsulated plywood enclosure; gray. **Special order item - allow 90 days plus shipping for delivery**	\$5,150.00	\$5,150.00
WideLine - 10 Accessories			
WL SMALLGRID-BK WL SMALLGRID-WH	Steel grid used for stacking four (4) or flying eight (8) WL2102 and WL2102-w, available in black or white	\$1,638.00	\$1,308.00
AF-2102-LA-BK AF-2102-LA-WH	New Large Aluminum Array Frame for the Wideline 10 (WL2102) available in Black or White.	\$2,215.00	\$1,772.00
AF-2102-wx GRAY	Array Frame for use with WL2102-wx; medium grey. **Special order item - allow 90 days plus shipping for delivery.**	\$1,854.00	\$1,483.00
WL-8-PACK RACK	WideLine 2102 Eight pack rack: transport/storage rack, holds 8 units	\$3,048.00	\$2,436.00
WL-CASE	ISIS WideLine transport/storage case, holds 3 speakers	\$2,001.00	\$1,602.00
CVR218	Padded transport cover for WL218-sw dual 18" subwoofer. Constructed of 1000 denier cordura nylon with heavy padding. Cutouts allow access to all handles, belly straps secure cover to enclosure when attached to transport dolly	\$230.00	\$185.00
CVR-GP218	Soft Cover for a single GP218 Sub-woofer.	\$232.00	\$185.00
AF218-sw	Aluminum array frame for stacking four (4) or flying eight (8) WL218-sw subwoofers	\$3,264.00	\$2,611.00



EFFECTIVE DATE:
July 4, 2011

	DESCRIPTION	LIST	Sell
CP-218-0	Caster Pallet for transport of GP-218-sw Subwoofer	\$618.00	\$494.00
CP-218-1	Caster Pallet & Padded soft cover for transport of GP-218-sw subwoofer	\$886.00	\$709.00



DESCRIPTION		LIST	Sell
WideLine - 8			
WL3082-BK WL3082-WH	Ultra compact high performance line array module; dual neodymium 8" (200 mm) cone LF; 3" (75 mm) titanium diaphragm, neodymium magnet HF compression driver, 140° horizontal coverage, integral array-building hardware; available in black or white	\$3,449.00	\$2,760.00
WL3082-wx GRAY	Weatherized version of WL3082 line array; dual neo 8" (200mm) cones; 3" (75mm) titanium diaphragm, neo HF compression driver; 140° horizontal coverage; fiberglass encapsulated plywood enclosure; M10 suspension points; gray. **Special order item - allow 90	\$4,738.00	\$4,738.00
WL212-sw-BK WL212-sw-WH	Ultra compact dual 12" (300 mm) bandpass subwoofer designed specifically for use with the WL3082; can be ground-stacked or suspended and arrayed with WL3082; integral array-building hardware; available in black or white	\$3,274.00	\$2,621.00
GP212-sw-BK GP212-sw-WH	Ultra compact, dual 12" (300 mm) bandpass subwoofer; acoustically identical to WL212-sw; 6 x M10 suspension points; M20 screw-in pole socket; available in black or white	\$2,265.00	\$1,813.00

WideLine - 8 Accessories			
CP212-1	Castor Pallet & Padded cover for transporting 1 x WL212sw or GP212sw	\$824.00	\$659.00
CP212-2	Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw	\$927.00	\$742.00
CP212-0	Caster pallet for transport of 1 - 3 x WL212sw or GP212sw	\$721.00	\$577.00
CVR212-2	Soft Padded cover for 2 x WL212SW or GP212sw	\$206.00	\$165.00
CP3082-4	Caster pallet for transport of 4 WL3082; includes padded nylon cover	\$721.00	\$577.00
AF8-10	Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures	\$1,638.00	\$1,308.00
AF3082-S-BK AF3082-S-WH	Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8)	\$1,309.00	\$1,045.00
AF3082-L-BK AF3082-L-WH	Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12)	\$2,321.00	\$1,854.00
AF3082-wx GRAY	Array Frame for use with WL2102-wx; medium grey. **Special order item - allow 90 days plus shipping for delivery. **	\$1,622.00	\$1,298.00
PB3082-BK PB3082-WH	Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white	\$710.00	\$566.00
EB3082-BK EB3082-WH	Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white	\$1,256.00	\$1,004.00

CSM SERIES CONCERT STAGE MONITORS

CSM10	Low profile, high performance 10" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.	\$3,708.00	\$2,966.00
CSM12	Low profile, high performance 12" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.	\$3,914.00	\$3,131.00
CSM15	Low profile, high performance 15" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.	\$4,120.00	\$3,296.00

CX SERIES AMPLIFIERS

CX302	2 channels, 200 watts/ch at 8Ω, 325 watts/ch at 4Ω, 600 watts/ch at 2Ω	\$1,086.00	\$1,086.00
CX502	2 channels, 300 watts/ch at 8Ω, 500 watts/ch at 4Ω, 800 watts/ch at 2Ω	\$1,429.00	\$1,429.00
CX702	2 channels, 425 watts/ch at 8Ω, 700 watts/ch at 4Ω, 1200 watts/ch at 2Ω	\$1,772.00	\$1,772.00
CX902	2 channels, 550 watts/ch at 8Ω, 900 watts/ch at 4Ω, 1500 watts/ch at 2Ω	\$2,115.00	\$2,115.00
CX1102	2 channels, 700 watts/ch at 8Ω, 1100 watts/ch at 4Ω, 1700 watts/ch at 2Ω	\$2,343.00	\$2,343.00
CX302V	2 channels, 250 watts/ch at 70V	\$1,086.00	\$1,086.00
CX602V	2 channels, 550 watts/ch at 8Ω, 440 watts/ch at 70V	\$1,772.00	\$1,772.00



	DESCRIPTION	LIST	Sell
CX1202V	2 channels, 700 watts/ch at 8 Ω , 1100 watts/ch at 4 Ω , 1000 watts/ch at 70V	\$2,115.00	\$2,115.00
CX254	4 channels, 170 watts/ch at 8 Ω , 250 watts/ch at 4 Ω , 450 watts/ch at 2 Ω	\$1,602.00	\$1,602.00
CX404	4 channels, 250 watts/ch at 8 Ω , 400 watts/ch at 4 Ω	\$1,602.00	\$1,602.00
CX204V	4 channels, 200 watts/ch at 70V	\$1,602.00	\$1,602.00
CX168	8 channels, 90 watts/ch at 8 Ω , 130 watts/ch at 4 Ω	\$1,928.00	\$1,928.00
CX108V	8 channels, 100 watts/ch at 70V	\$1,928.00	\$1,928.00



DESCRIPTION		LIST	Sell
ISA SERIES AMPLIFIERS			
ISA280	2 channels, 185 watts/ch at 8Ω, 280 watts/ch at 4Ω, 430 watts/ch at 2Ω	\$594.00	\$474.00
ISA450	2 channels, 260 watts/ch at 8Ω, 425 watts/ch at 4Ω, 700 watts/ch at 2Ω	\$718.00	\$574.00
ISA750	2 channels, 450 watts/ch at 8Ω, 650 watts/ch at 4Ω, 1200 watts/ch at 2Ω	\$977.00	\$781.00
ISA1350	2 channels, 800 watts/ch at 8Ω, 1300 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 1500 watts/ch at 70V (direct output)	\$1,844.00	\$1,475.00
ISA300Ti	2 channels, 185 watts/ch at 8Ω, 280 watts/ch at 4Ω, 430 watts/ch at 2Ω, 300 watts/ch at 70V	\$793.00	\$633.00
ISA500Ti	2 channels, 260 watts/ch at 8Ω, 425 watts/ch at 4Ω, 700 watts/ch at 2Ω, 500 watts/ch at 70V	\$911.00	\$731.00
ISA800Ti	2 channels, 450 watts/ch at 8Ω, 650 watts/ch at 4Ω, 1200 watts/ch at 2Ω, 800 watts/ch at 70V	\$1,190.00	\$953.00
GX SERIES AMPLIFIERS			
GX3	2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω	\$399.00	\$299.99
GX5	2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω	\$499.00	\$399.99
NEW GX7	Light weight, professional power amplifier, 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω.	\$699.00	\$599.00
PLX2 SERIES AMPLIFIERS			
PLX1104	Dual channel amplifier with PowerLight technology, lightweight (13 lbs / 5.9 kg), 325 watts/ch at 8Ω, 550 watts/ch at 4Ω	\$926.00	\$749.99
PLX1804	Dual channel amplifier with PowerLight technology, lightweight (13 lbs / 5.9 kg), 600 watts/ch at 8Ω, 900 watts/ch at 4Ω	\$1,080.00	\$849.99
PLX1802	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user configurable signal processing, 330 watts/ch at 8Ω, 575 watts/ch at 4Ω, 900 watts/ch at 2Ω	\$1,235.00	\$969.99
PLX2502	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 450 watts/ch at 8Ω, 750 watts/ch at 4Ω, 1250 watts/ch at 2Ω	\$1,369.00	\$1,099.99
PLX3102	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 600 watts/ch at 8Ω, 1000 watts/ch at 4Ω, 1550 watts/ch at 2Ω	\$1,513.00	\$1,199.99
PLX3602	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 775 watts/ch at 8Ω, 1250 watts/ch at 4Ω, 1800 watts/ch at 2Ω	\$1,802.00	\$1,399.99
POWERLIGHT™ 3 SERIES AMPLIFIERS			
PL325	2 channels, 475 watts/ch at 8Ω, 825 watts/ch at 4Ω, 1250 watts/ch at 2Ω	\$1,542.00	\$1,234.00
PL340	2 channels, 800 watts/ch at 8Ω, 1200 watts/ch at 4Ω, 2000 watts/ch at 2Ω	\$1,874.00	\$1,499.00
PL380	2 channels, 1500 watts/ch at 8Ω, 2600 watts/ch at 4Ω, 4000 watts/ch at 2Ω	\$3,141.00	\$2,512.40
RMX SERIES AMPLIFIERS			
RMX850	2 channels, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 430 watts/ch at 2Ω	\$479.00	\$399.99
RMX1450	2 channels, 280 watts/ch at 8Ω, 450 watts/ch at 4Ω, 700 watts/ch at 2Ω	\$644.00	\$529.99
RMX1850HD	2 channels, 360 watts/ch at 8Ω, 600 watts/ch at 4Ω, 900 watts/ch at 2Ω	\$773.00	\$649.99
RMX2450	2 channels, 500 watts/ch at 8Ω, 750 watts/ch at 4Ω, 1200 watts/ch at 2Ω	\$901.00	\$749.99
RMX4050HD	2 channels, 850 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 4000 watts/ch at 4Ω (bridged)	\$1,700.00	\$1,499.99
RMX5050	2 channels, 1100 watts/ch at 8Ω, 1800 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged)	\$2,627.00	\$1,699.99
CMX SERIES AMPLIFIERS			
CMX300V	Contractor power amplifier/ 2 channel, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 70V/mono at 600 Watts.	\$567.00	\$567.00
CMX500V	Contractor power amplifier/ 2 channel, 300 watts/ch at 8Ω, 500 watts/ch at 4Ω, 70V/mono at 1200 Watts.	\$716.00	\$716.00



	DESCRIPTION	LIST	Sell
CMX800V	Contractor power amplifier/ 2 channel, 500 watts/ch at Ω , 800 watts/ch at 4 Ω , 70V/mono at 2000 Watts	\$979.00	\$979.00
CMX2000V	Contractor power amplifier/ 2 channel, 1100 watts/ch at Ω , 2000 watts/ch at 4 Ω , 70V/mono at 1000 Watts.	\$2,059.00	\$2,059.00



DESCRIPTION	LIST	Sell	
AMPLIFIER ACCESSORIES			
BSC-3	BusCard – accommodates one signal processor (crossover, limiter or EQ) for PLX, CX and DCA amplifiers, XF-1 input transformers may also be added(not compatible with PLX2)	\$58.00	
BSC-6	BusCard – accommodates UF-3 filter for PL3.4, PL3.8x and PL4.0 amplifiers	\$58.00	
BSC-7	BusCard – accommodates two signal processor cards for 4-channel CX and DCA amplifiers, XF-1 input transformers may also be added	\$120.00	
IT-42	Isolation Transformer – 25V, 70V , and 100V dual output transformer for CX302	\$275.00	
LF-3	Low-pass Filter – used with XC-3 for 3-way systems	\$214.00	
OT-300a	Output Autoformer – 300W 70V autoformer	\$119.00	
OT-600	Output Autoformer – 600W 70V autoformer	\$169.00	
SEQ-2	Stereo EQ – 5-band EQ with +/- 12 dB boost and cut range	\$78.00	
SF-3	Subwoofer Filter – provides adjustable bandpass filtering with optional B6 boost and mono-summing	\$214.00	
UF-3	Universal Filter – Two independent channels of fourth order filtering configurable for high-pass, low-pass, or band-pass operation, plus CD-horn EQ	\$144.00	
XC-3	Crossover – Active 2-way crossover for bi-amped speakers. Can be used with LF-3 for tri-amp operation	\$214.00	
XF-1	Input Isolation Transformer – High-bandwidth input transformer for reducing common mode noise	\$76.00	

QSCCONTROL.NET™ PRODUCTS
(Factory certification training required for all models.)

BASIS722az	Amplifier control and monitoring, configurable DSP, 8 analog inputs via euro style connectors, 8 analog outputs via DataPort connectors	\$3,797.00	\$3,797.00
RAVE520uz	CobraNet I/O, configurable DSP, 8 analog universal (mic/line) inputs via euro style connectors	\$4,240.00	\$4,240.00
RAVE522aa	CobraNet I/O, configurable DSP, 8 analog inputs via euro style connectors, 8 analog outputs via euro style connectors	\$4,240.00	\$4,240.00
BASIS904zz	Amplifier control and monitoring, configurable DSP, 16 analog outputs via DataPort, CobraNet I/O	\$5,205.00	\$5,205.00
BASIS914lz	Amplifier control and monitoring, configurable DSP, 4 analog line-level input via XLR connectors, 16 analog outputs via DataPort, CobraNet I/O	\$5,205.00	\$5,205.00
BASIS922az	Amplifier control and monitoring, configurable DSP, 8 analog inputs via euro style connectors, 8 analog outputs via DataPort connectors, CobraNet I/O	\$4,240.00	\$4,240.00
BASIS922dz	Amplifier control and monitoring, configurable DSP, AES/EBU input pairs (8 channels) via 25-pin DB-25 connectors, 8 analog outputs via DataPort connectors CobraNet I/O	\$4,240.00	\$4,240.00
BASIS922uz	Amplifier control and monitoring, configurable DSP, 8 analog universal (mic/line) inputs via euro style connectors, 8 analog outputs via DataPort connectors, CobraNet I/O	\$4,761.00	\$4,761.00
DSP322ua	Configurable DSP, 8 analog universal (mic/line) inputs via euro style connectors, 8 analog outputs via euro style connectors	\$3,797.00	\$3,797.00
RAVE522ua	CobraNet I/O, configurable DSP, 8 analog universal (mic/line) inputs via euro style connectors, 8 analog outputs via euro style connectors	\$4,761.00	\$4,761.00
NAC-100-BK NAC-100-WH	Network audio controller for QSCControl.net systems; color graphic display, POE (Power Over Ethernet); available in black (NAC-100) or white (NAC-100-WH)	\$888.00	\$711.00

DIGITAL SIGNAL PROCESSORS

DSP-3	2 channel digital signal processor with euro style input/output connectors, small form factor	\$578.00	\$578.00
DSP-30	2 channel digital signal processor with Combo XLR input/output connectors, 1 RU	\$761.00	\$761.00
DSP-4	2 channel digital signal processor with XLR input/output connectors, small form factor	\$732.00	\$732.00
SC-28	2 x 8 processor for QSC loudspeakers	\$1,481.00	\$1,481.00



DESCRIPTION		LIST	Sell
DIGITAL / NETWORK ACCESSORIES			
WCP-1	Wall Control Plate with Rotary Potentiometer	\$91.00	\$91.00
WCP-2	Wall Control Plate with Rotary BCD Switch	\$109.00	\$109.00
DPC/foot	Unterminated Custom DataPort Cable per foot	\$7.00	
DPC-1	DataPort cable, HD15 connector, 1 ft. length	\$7.00	
DPC-2	DataPort cable, HD15 connector, 2 ft. length	\$8.00	
DPC-3	DataPort cable, HD15 connector, 3 ft. length	\$9.00	
DPC-4	DataPort cable, HD15 connector, 4 ft. length	\$11.00	
DPC-5	DataPort cable, HD15 connector, 5 ft. length	\$12.00	
DPC-6	DataPort cable, HD15 connector, 6 ft. length	\$13.00	
DPC-10	DataPort cable, HD15 connector, 10 ft. length	\$26.00	
DPC-20	DataPort cable, HD15 connector, 20 ft. length	\$44.00	
DPC-50	DataPort cable, HD15 connector, 50 ft. length	\$105.00	
DPC-75	DataPort cable, HD15 connector, 75 ft. length	\$119.00	
DPC-100	DataPort cable, HD15 connector, 100 ft. length	\$216.00	
DPX-1	External power supply	\$58.00	
DPX-2	Custom DataPort cable passes audio and power between an amplifier and a remote mounted DSP-3 or DSP-4 module	\$12.00	
DPX-3	Null modem cable programming a DSP-3 manufactured before July 1999	\$9.00	
DPX-4	Accessory bracket kit mounting up to four DSP-3 or DSP-4 modules, shipped with hardware for mounting on rear racks	\$88.00	
DDI-3	DataPort Accessory card, converts an HD15 connector on DataPort amplifier to a terminal block style connector. Also provides audio signal access when connected to the outputs of DataPort-equipped processors.	\$9.00	\$9.00
DDI-5	HD15 F/F DataPort adapter; HD15 Female-to-female mini DataPort adapter; makes it possible to use QSC dataport cables of varying lengths between DataPort-equipped amplifiers and remotely mounted DSP processors.	\$11.00	\$11.00
DDI-8c	DataPort accessory card, 2-channel input router module; provides input switching from DataPort-equipped amplifiers to a second set of amplifier or other line-level inputs.	\$93.00	\$93.00
DDI-11	DataPort accessory card, converts an HD15 connector on DataPort amplifiers to a terminal block style connector. Same as DDI-3, except DataPort connector is right angle mounted. Provides access to the amplifier's 15Vdc output, standby control connectivity	\$16.00	\$16.00
DDI-12	DataPort accessory card, with two fully isolated and balanced transformer-coupled inputs.	\$204.00	\$204.00